EP3S Fact Sheet

# ADAPT 200

# Series

If work means calls via multiple devices, choose a wireless headset that fits with your dynamic working style in the hybrid workplace. Lightweight, portable and wireless, this flexible audio companion keeps you at peak performance.















## What's in the Box



## How to Use the **ADAPT 200**



#### Turning the headset on/off




Turns the headset on




Turns the headset off

#### Accept/hold and reject/end a call



Accept/hold a call





Reject/end a call

# Additional benefits & features



#### Up to 27 hours battery life

Reliable performance wherever and however you work



#### Jump straight into Teams meetings

Via dedicated Microsoft Teams button



#### Optimal call clarity

With noise-cancelling microphone to filter out ambient noise



#### Enjoy EPOS Voice™ technology

For a more natural listening experience



#### Get a personalized fit

With an adjustable, flexible headband



#### Avoid acoustic shock on calls

With EPOS ActiveGard® technology



#### Smart noise limiter

Enable noise limitation according to European and Australian standards via EPOS Connect

## Product data

General		
Wearing style	On-ear, single or double-sided headband	
Headset weight	Single-sided, leatherette earpads 80.9 g / 2.8 oz Double-sided, leatherette earpads 120.7 g / 4.3 oz	
Connectivity	Bluetooth® 5.0, USB cable with USB-C connector	
Warranty	2 years	
Audio		
Speaker frequency response	20-20,000 Hz	
Microphone type	Noise-cancelling microphone for optimal speech transmission	
Microphone frequency response	100-8,000 Hz	
Technical		
Charging time	2 hours	
Standby time	300 hours	
Battery time	Up to 27 hours	
Range	Up to 25 m / 82 ft	

## Product data

Products variants	What's in the box		
ADAPT 260	Headset, BTD 800 USB dongle, USB cable USB-C connector, carry pouch, compliance sheet, quick guide, safety guide		
ADAPT 261, ADAPT 231	Headset, BTD 800 USB-C dongle, USB cable USB-C connector, carry pouch, compliance sheet, quick guide, safety guide		
Software			
EPOS devices can be managed with following Software solutions:			
EPOS Connect	Conduct firmware updates and configure headsets for personal audio preferences. EPOS Connect works for Windows, Mac® and VDI/Thin client environments: eposaudio.com/software-epos-connect		
EPOS Manager	Manage, update and configure EPOS audio devices from any location - For both cloud and on-premises solutions: eposaudio.com/software-epos-manager		

## Product data

Product	Connects to	Certifications	EAN code	UPC code
ADAPT 260 Art. no. 1000882	Smartphone/PC Mobile devices	Optimized for UC and certified for Microsoft Teams*, Zoom, Google Meet, Webex by Cisco, Avaya and Works With Chromebook	57 14708 00684 8	8 40064 40684 0
ADAPT 261 Art. no. 1000897	Smartphone/PC Mobile devices	Optimized for UC and certified for Microsoft Teams*, Zoom, Google Meet, Webex by Cisco, Avaya and Works With Chromebook	57 14708 00683 1	8 40064 40683 3
ADAPT 231 Art. no. 1000896	Smartphone/PC Mobile devices	Optimized for UC and certified for Microsoft Teams*, Zoom, Google Meet, Webex by Cisco, Avaya and Works With Chromebook	57 14708 00697 8	8 40064 40697 0

<sup>\*</sup> Microsoft Teams certification applies when USB/USB-C dongle or cable is connected to PC or Mac.

## Spare parts

Product	Art. no.	Description	EAN code	UPC code
USB cable	1000211	USB-C to USB-A cable. Cable length 1.2 meter.	EAN: 57 14708 00012 9	8 40064 40012 1
USB cable	1000304	USB-C to USB-C cable. Cable length 1.5 meter.	EAN: 57 14708 00105 8	8 40064 40105 O
BTD 800 USB-A dongle	1001148	Connect compatible EPOS Bluetooth® audio devices quickly and easily to your PC or Mac.	EAN: 57 14708 00950 4	8 40064 40950 6
BTD 800 USB-C dongle	1000206	Connect compatible EPOS Bluetooth® audio device quickly and easily to your PC or Mac and tablet.	EAN: 57 14708 00007 5	8 40064 40007 7
Earpads	1000880	Spare earpads in black leatherette.	EAN: 57 14708 00682 4	8 40064 40682 6

## Appendix

1/1

#### Additional product data

Color	Black
EPOS Voice™ Technology	For a clear and natural listening experience
Sound pressure level (SPL)	Max. 115 dB - Limited by EPOS ActiveGard® technology
Sound enhancement profiles	Automatically adapt and optimize sound for both communication and multimedia
EPOS ActiveGard® technology	Protects users against acoustic injury caused by sudden sound burst on the line
EU Noise at Work Limiter*	Enhanced audio protection preventing listening fatigue, average 85 dB over a workday

<sup>\*</sup>In compliance with EU Noise at Work legislation (Directive 2003/10/EC)